ELSEVIER

Palaeogeography, Palaeoclimatology, Palaeoecology 149 (1999) 431–432

PALAEO

Author Index Volume 149, 1999

Aguirre, M.L. and E.A. Farinati, Taphonomic processes affecting late Quaternary molluscs along the coastal area of Buenos Aires Province (Argentina, Southwestern Atlantic) 149 (1999) 283
Alve, E., see Murray, J.W. 149 (1999) 183
Andrews, P.J., see Pinto Llona, A.C. 149 (1999) 411

Barbieri, R., S. D'Onofrio, R. Melis and F. Westall, r-Selected benthic foraminifera with associated bacterial colonies in Upper Pleistocene sediments of the Ross Sea (Antarctica): implications for calcium carbonate preservation 149 (1999) 41
Behrensmeyer, A.K., see Cutler, A.H. 149 (1999) 359
Bertling, M., Taphonomy of trace fossils at omission surfaces (Middle Triassic, East Germany) 149 (1999) 27
Bottjer, D.J., see Moffat, H.A. 149 (1999) 329
Brunton, F.R., see Kershaw, S. 149 (1999) 313

Campbell, I.D., Quaternary pollen taphonomy: examples of differential redeposition and differential preservation 149 (1999) 245
Campbell, I.D., see Chmura, G.L. 149 (1999) 257
Chapman, R.E., see Cutler, A.H. 149 (1999) 359
Chmura, G.L., A. Smirnov and I.D. Campbell, Pollen transport through distributaries and depositional patterns in coastal waters 149 (1999) 257
Clague, J.J., see Patterson, R.T. 149 (1999) 199
Clark II, G.R., Organic matrix taphonomy in some molluscan shell microstructures 149 (1999) 305
Cutler, A.H., A.K. Behrensmeyer and R.E. Chapman, Environmental information in a recent bone assemblage: roles of taphonomic processes and ecological change 149 (1999) 359

D'Onofrio, S., see Barbieri, R. 149 (1999) 41
de Rijk, S. and S. Troelstra, The application of a foraminiferal actuo-facies model to salt-marsh cores 149 (1999) 59
de Stigter, H.C., G.J. van der Zwaan and L. Langone, Differential rates of benthic foraminiferal test production in surface and subsurface sediment habitats in the southern Adriatic Sea 149 (1999) 67
Denys, C., see Fernández-Jalvo, Y. 149 (1999) 271
Domínguez-Rodrigo, M., Flesh availability and bone modifications in carcasses consumed by lions: palaeoecological relevance in hominid foraging patterns 149 (1999) 373

Farinati, E.A., see Aguirre, M.L. 149 (1999) 283
Fernández-Jalvo, Y., L. Scott and C. Denys, Taphonomy of pollen associated with predation 149 (1999) 271
Funnell, B.M., see Kennington, K. 149 (1999) 171

Gastaldo, R.A. and J.R. Staub, A mechanism to explain the preservation of leaf litter lenses in coals derived from raised mires 149 (1999) 1
Gehrels, W.R. and O. van de Plassche, The use of *Jadammina macrescens* (Brady) and *Balticammina pseudomacrescens* Brönnimann, Lutze and Whittaker (Protozoa: Foraminiferida) as sea-level indicators 149 (1999) 89

Goldstein, S.T. and G.T. Watkins, Taphonomy of salt marsh foraminifera: an example from coastal Georgia 149 (1999) 103
Goldstein, S.T., see Walker, S.E. 149 (1999) 227
Guilbault, J.-P., see Patterson, R.T. 149 (1999) 199

Hadly, E.A., Fidelity of terrestrial vertebrate fossils to a modern ecosystem 149 (1999) 389
Haslett, S.K., see Kennington, K. 149 (1999) 171
Hippensteel, S.P. and R.E. Martin, Foraminifera as an indicator of overwash deposits, Barrier Island sediment supply, and Barrier Island evolution: Folly Island, South Carolina 149 (1999) 115
Horton, B.P., The distribution of contemporary intertidal foraminifera at Cowpen Marsh, Tees Estuary, UK: implications for studies of Holocene sea-level changes 149 (1999) 127

Jorissen, F.J. and I. Wittling, Ecological evidence from live–dead comparisons of benthic foraminiferal faunas off Cape Blanc (Northwest Africa) 149 (1999) 151

Kennington, K., S.K. Haslett and B.M. Funnell, Offshore transport of neritic diatoms as indicators of surface current and trade wind strength in the Plio-Pleistocene eastern equatorial Pacific 149 (1999) 171
Kershaw, S. and F.R. Brunton, Palaeozoic stromatoporoid taphonomy: ecologic and environmental significance 149 (1999) 313

Langone, L., see de Stigter, H.C. 149 (1999) 67

Martin, R.E., see Hippensteel, S.P. 149 (1999) 115
Melis, R., see Barbieri, R. 149 (1999) 41
Moffat, H.A. and D.J. Bottjer, Echinoid concentration beds: two examples from the stratigraphic spectrum 149 (1999) 329
Mosbrugger, V., see Uhl, D. 149 (1999) 15
Murray, J.W. and E. Alve, Taphonomic experiments on marginal marine foraminiferal assemblages: how much ecological information is preserved? 149 (1999) 183

Nebelsick, J., Taphonomic comparison between Recent and fossil sand dollars 149 (1999) 349

Patterson, R.T., J.-P. Guilbault and J.J. Clague, Taphonomy of tidal marsh foraminifera: implications of surface sample thickness for high-resolution sea-level studies 149 (1999) 199
Pinto Llona, A.C. and P.J. Andrews, Amphibian taphonomy and its application to the fossil record of Dolina (middle Pleistocene, Atapuerca, Spain) 149 (1999) 411

Scott, L., see Fernández-Jalvo, Y. 149 (1999) 271
Sherrod, B.L., Gradient analysis of diatom assemblages in a Puget Sound salt marsh: can such assemblages be used for quantitative paleoecological reconstructions? 149 (1999) 213
Smirnov, A., see Chmura, G.L. 149 (1999) 257
Staub, J.R., see Gastaldo, R.A. 149 (1999) 1

Troelstra, S., see de Rijk, S. 149 (1999) 59

Uhl, D. and V. Mosbrugger, Leaf venation density as a climate and environmental proxy: a critical review and new data 149 (1999) 15

van de Plassche, O., see Gehrels, W.R. 149 (1999) 89
van der Zwaan, G.J., see de Stigter, H.C. 149 (1999) 67

Walker, S.E. and S.T. Goldstein, Taphonomic tiering: experimental field taphonomy of molluscs and foraminifera above and below the sediment–water interface 149 (1999) 227
Watkins, G.T., see Goldstein, S.T. 149 (1999) 103
Westall, F., see Barbieri, R. 149 (1999) 41
Wittling, I., see Jorissen, F.J. 149 (1999) 151